



catalog

PENETRATION

SOFTER COLOR SRL





DYES FOR LEATHER by SOFTER COLOR

Softer Color, with more than 30 years of experience in the field, is the leader in the production and sale of a wide range of dyes for all industrial sectors, including the tanneries market.

We are therefore pleased to introduce our new leather catalog.

Our range of colors is made up of

- Beige: Researched to obtain various pastel shades
- Penetration: chosen for high penetration
- Economy: Studied to get a high value strength price
- Wet blue: metal complex recommended for a high quality leather (prem)
- Metal free: recommended for a high quality leather (no prem)

Our wide range of dyestuffs offer concrete solutions for all our customers located in Europe, North Africa and America.

Through the creation of the right internal synergy, Softer Color takes care of its employees' health through high standards of safety and quality of work as well as the surrounding environment through the ISO 9001: 2015 certification; also shows a particular interest in social responsibility through the REACH registration of the products marketed.

information on solidity

I.U.F. 402
I.M
I.U.F. 442
I.M.
I.U.F. 201
I.U.F. 423
I.U.F. 426
I.U.F. 202
I.M.
I.M.

Responsibility

Softer Color declines any responsibility for incorrect or improper use of its dyes. These products are not toxic, but it is very important to respect the safety rules provided by the attached SDS. For any questions, please contact us at +39 0543 724672.

SOFTER COLOR SRL



	LIGHT FASTNESS	PENETRATION	MIGRATION PVC	EXHAUSTION	SOLUBILITY GR/L 60° C	WASHING	PERSPIRATION SE	ACID 01.553	ALKALIS	TROPICAL TEST	
BROWN GOI			ı				1		ı	ı	
3%	2	4	1/2	2	50	1	2/3	3	3	1	
LIGHT BLUE HF											
3%	2	4	4/5	2/3	80	2	4	3	3	3	

SOFTER COLOR SRL



	LIGHT FASTNESS	PENETRATION	MIGRATION PVC	EXHAUSTION	SOLUBILITY GR/L 60° C	WASHING	PERSPIRATION ST	ACID 01 SS3	ALKALIS	TROPICAL TEST
BLACK SB			ı	ı		ı		ı	ı	
3%	4	4	5	2/3	80	4/5	5	3	3	5
BLACK 5R										
3%	1/2	4	4/5	2/3	70	1	1	3	3	4/5

SOFTER COLOR SRL



		LIGHT FASTINESS	PENETRATION	MIGRATION PVC	EXHAUSTION	SOLUBILITY GR/L 60° C	WASHING	PERSPIRATION ST	OT 223	ALKALIS	TROPICAL TEST
BLACK	AX										
3%		1/2	4	4	3	80	3	3	3	3	2/3
BLACK	2ATT										
3%		2	4	1/2	2/3	80	2/3	2/3	3	3	1

SOFTER COLOR SRL



	LIGHT FASTNESS	PENETRATION	MIGRATION PVC	EXHAUSTION	SOLUBILITY GR/L 60° C	WASHING	PERSPIRATION ST	ACID 01 SS3	ALKALIS	TROPICAL TEST
BLUE G	ı		ı	1	1	ı	ı	ı	ı	
3%	2	4	4	2/3	80	2/3	4	4	3/4	2/3
BLACK KK										
3%	1/2	4	1/2	2/3	50	2/3	2/3	3	3	1

SOFTER COLOR SRL