



by  **Softer Color**

catalog

WET BLUE

SOFTER COLOR SRL

Via Golfarelli, 88/D
47122 Forlì - Italia
Tel. +39.0543.724672
Fax +39.0543.724650
info@softercolor.it
www.softercolor.it



WET BLUE

DYES FOR LEATHER by SOFTER COLOR

Softer Color, with more than 30 years of experience in providing dyes with relevant performance, is leader both in the production and sale of a wide range of tints for all industrial sectors, including the tanneries market. The Company provides to its customers based in Europe, North Africa and in the United States, a collection of 5 types of dedicated product:

- **Beige:** used to obtain various pastel shades
- **Penetration:** chosen for high penetration
- **Economy:** studied to get a high ratio strength - price
- **Wet blue:** metal complexes recommended for a high quality leather (pre-metallized)
- **Metal free:** free from complexes recommended for a high quality leather (not pre-metallized)

Softer Color is strongly committed to its employees' health by implementing high safety standards and environment of working. The certification of quality according to the regulation ISO 9001: 2015 testifies a pledge to the protection of the environment. At the same time, our Company is engaged in social responsibility, therefore the REACH registration of marketed products.

Information on solidity

| | |
|--------------------------|------------|
| LIGHT FASTNESS | I.U.F. 402 |
| PENETRATION | I.M. |
| MIGRATION PVC | I.U.F. 442 |
| EXHAUSTION | I.M. |
| SOLUBILITY GR/L 60° C | I.U.F. 201 |
| FASTNESS TO WASHING | I.U.F. 423 |
| FASTNESS TO PERSPIRATION | I.U.F. 426 |
| FASTNESS TO ACID | I.U.F. 202 |
| FASTNESS TO ALKALIS | I.M. |
| TROPICAL TEST | I.M. |

The dyeing tests have been performed using 2,5% (w/w) both on WetBlue and on WetWhite.

Both technical information and data are based on up-to-date knowledge and are not to be considered as part of a contract or a guarantee. The final users are strongly recommended to perform assessments on their own materials to ensure the desired results.

Responsibility

Softer Color declines any responsibility for incorrect or improper use of its dyes. These products are not toxic, but it is very important to respect the safety rules provided by the attached Safety Data Sheet.

For any questions, please contact us at +39 0543 724672.

SOFTER COLOR SRL

Via Golfarelli, 88/D
47122 Forlì - Italia
Tel. +39.0543.724672
Fax +39.0543.724650
info@softercolor.it
www.softercolor.it


DYES for *Leather*

by  **Softer Color**

WET BLUE

YELLOW RC

2,5%



| LIGHT FASTNESS | PENETRATION | MIGRATION PVC | EXHAUSTION | SOLUBILITY GR/L 60° C | FASTNESS TO WASHING | FASTNESS TO PERSPIRATION | FASTNESS TO ACID | FASTNESS TO ALKALIS | TROPICAL TEST | METAL COMPLEX |
|----------------|-------------|---------------|------------|-----------------------|---------------------|--------------------------|------------------|---------------------|---------------|---------------|
|----------------|-------------|---------------|------------|-----------------------|---------------------|--------------------------|------------------|---------------------|---------------|---------------|

3 3 5 4 30 4 3 5 4 5 Cr

ORANGE 2GC

2,5%



| LIGHT FASTNESS | PENETRATION | MIGRATION PVC | EXHAUSTION | SOLUBILITY GR/L 60° C | FASTNESS TO WASHING | FASTNESS TO PERSPIRATION | FASTNESS TO ACID | FASTNESS TO ALKALIS | TROPICAL TEST | METAL COMPLEX |
|----------------|-------------|---------------|------------|-----------------------|---------------------|--------------------------|------------------|---------------------|---------------|---------------|
|----------------|-------------|---------------|------------|-----------------------|---------------------|--------------------------|------------------|---------------------|---------------|---------------|

4/5 2/3 5 5 40 4 4 4/5 4 5 Cr





SOFTER COLOR SRL

Via Golfarelli, 88/D
47122 Forlì - Italia
Tel. +39.0543.724672
Fax +39.0543.724650
info@softercolor.it
www.softercolor.it

DYES for *Leather*

by  **Softer Color**

WET BLUE

| | | LIGHT FASTNESS | PENETRATION | MIGRATION PVC | EXHAUSTION | SOLUBILITY GR/L 60° C | FASTNESS TO WASHING | FASTNESS TO PERSPIRATION | FASTNESS TO ACID | FASTNESS TO ALKALIS | TROPICAL TEST | METAL COMPLEX |
|-------------------|---|-------------------|-------------|---------------|------------|--------------------------|------------------------|-----------------------------|------------------|------------------------|---------------|------------------|
| ORANGE G | | | | | | | | | | | | |
| 2,5% |  | 3/4 | 3 | 4 | 4 | 15 | 4 | 4 | 4 | 4 | 4/5 | Cr |
| |  | | | | | | | | | | | |
| ORANGE MRL | | | | | | | | | | | | |
| 2,5% |  | 4/5 | 3/4 | 4 | 4 | 35 | 2/3 | 3/4 | 4/5 | 4 | 4 | Cr |
| |  | | | | | | | | | | | |

SOFTER COLOR SRL

Via Golfarelli, 88/D
47122 Forlì - Italia
Tel. +39.0543.724672
Fax +39.0543.724650
info@softercolor.it
www.softercolor.it


DYES for *Leather*

by  **Softer Color**

WET BLUE

RED GL

2,5%



| LIGHT FASTNESS | PENETRATION | MIGRATION PVC | EXHAUSTION | SOLUBILITY GR/L 60° C | FASTNESS TO WASHING | FASTNESS TO PERSPIRATION | FASTNESS TO ACID | FASTNESS TO ALKALIS | TROPICAL TEST | METAL COMPLEX |
|----------------|-------------|---------------|------------|-----------------------|---------------------|--------------------------|------------------|---------------------|---------------|---------------|
|----------------|-------------|---------------|------------|-----------------------|---------------------|--------------------------|------------------|---------------------|---------------|---------------|

| | | | | | | | | | | |
|---|---|-----|---|----|-----|---|-----|-----|-----|----|
| 4 | 4 | 4/5 | 4 | 30 | 3/4 | 4 | 4/5 | 4/5 | 4/5 | Cr |
|---|---|-----|---|----|-----|---|-----|-----|-----|----|

BORDEAUX B

2,5%



| LIGHT FASTNESS | PENETRATION | MIGRATION PVC | EXHAUSTION | SOLUBILITY GR/L 60° C | FASTNESS TO WASHING | FASTNESS TO PERSPIRATION | FASTNESS TO ACID | FASTNESS TO ALKALIS | TROPICAL TEST | METAL COMPLEX |
|----------------|-------------|---------------|------------|-----------------------|---------------------|--------------------------|------------------|---------------------|---------------|---------------|
|----------------|-------------|---------------|------------|-----------------------|---------------------|--------------------------|------------------|---------------------|---------------|---------------|

| | | | | | | | | | | |
|-----|-----|-----|---|----|---|---|-----|-----|---|----|
| 2/3 | 4/5 | 4/5 | 4 | 30 | 3 | 5 | 4/5 | 3/4 | 5 | Cr |
|-----|-----|-----|---|----|---|---|-----|-----|---|----|

SOFTER COLOR SRL

Via Golfarelli, 88/D
47122 Forlì - Italia
Tel. +39.0543.724672
Fax +39.0543.724650
info@softercolor.it
www.softercolor.it


DYES for *Leather*

by  **Softer Color**

WET BLUE

TURQUOISE GL

2,5%





| LIGHT FASTNESS | PENETRATION | MIGRATION PVC | EXHAUSTION | SOLUBILITY GR/L 60° C | FASTNESS TO WASHING | FASTNESS TO PERSPIRATION | FASTNESS TO ACID | FASTNESS TO ALKALIS | TROPICAL TEST | METAL COMPLEX |
|----------------|-------------|---------------|------------|-----------------------|---------------------|--------------------------|------------------|---------------------|---------------|---------------|
|----------------|-------------|---------------|------------|-----------------------|---------------------|--------------------------|------------------|---------------------|---------------|---------------|

| | | | | | | | | | | |
|---|---|---|---|----|---|---|---|---|---|----|
| 5 | 4 | 3 | 3 | 30 | 4 | 4 | 5 | 3 | 5 | Cu |
|---|---|---|---|----|---|---|---|---|---|----|

BLUE 2G

2,5%



| | | | | | | | | | | |
|-----|---|---|---|----|-----|-----|---|---|-----|----|
| 3/4 | 3 | 5 | 3 | 15 | 3/4 | 3/4 | 5 | 3 | 4/5 | Cr |
|-----|---|---|---|----|-----|-----|---|---|-----|----|

SOFTER COLOR SRL

Via Golfarelli, 88/D
47122 Forlì - Italia
Tel. +39.0543.724672
Fax +39.0543.724650
info@softercolor.it
www.softercolor.it


DYES for *Leather*

by  **Softer Color**

WET BLUE

NAVY BLUE MTR

2,5%




| LIGHT FASTNESS | PENETRATION | MIGRATION PVC | EXHAUSTION | SOLUBILITY GR/L 60° C | FASTNESS TO WASHING | FASTNESS TO PERSPIRATION | FASTNESS TO ACID | FASTNESS TO ALKALIS | TROPICAL TEST | METAL COMPLEX |
|----------------|-------------|---------------|------------|-----------------------|---------------------|--------------------------|------------------|---------------------|---------------|---------------|
|----------------|-------------|---------------|------------|-----------------------|---------------------|--------------------------|------------------|---------------------|---------------|---------------|

| | | | | | | | | | | |
|---|---|---|-----|----|---|---|---|---|-----|----|
| 2 | 4 | 4 | 4/5 | 40 | 5 | 5 | 4 | 4 | 3/4 | Cr |
|---|---|---|-----|----|---|---|---|---|-----|----|

GREEN NG

2,5%



| | | | | | | | | | | |
|---|-----|---|---|----|---|---|---|---|-----|----|
| 5 | 2/3 | 5 | 5 | 50 | 3 | 3 | 4 | 4 | 4/5 | Cu |
|---|-----|---|---|----|---|---|---|---|-----|----|

SOFTER COLOR SRL

Via Golfarelli, 88/D
47122 Forlì - Italia
Tel. +39.0543.724672
Fax +39.0543.724650
info@softercolor.it
www.softercolor.it


DYES for *Leather*

by  **Softer Color**

WET BLUE

OLIVE BROWN NB

2,5%





| LIGHT FASTNESS | PENETRATION | MIGRATION PVC | EXHAUSTION | SOLUBILITY GR/L 60° C | FASTNESS TO WASHING | FASTNESS TO PERSPIRATION | FASTNESS TO ACID | FASTNESS TO ALKALIS | TROPICAL TEST | METAL COMPLEX |
|-------------------|-------------|---------------|------------|--------------------------|------------------------|-----------------------------|------------------|------------------------|---------------|------------------|
|-------------------|-------------|---------------|------------|--------------------------|------------------------|-----------------------------|------------------|------------------------|---------------|------------------|

4 3 4 4 100 3 3/4 3/4 3 4 Fe

OLIVE G

2,5%



4 3/4 5 4/5 50 2/3 2/3 4 4 4 Fe

SOFTER COLOR SRL

Via Golfarelli, 88/D
47122 Forlì - Italia
Tel. +39.0543.724672
Fax +39.0543.724650
info@softercolor.it
www.softercolor.it


DYES for *Leather*

by  **Softer Color**

WET BLUE

OLIVE 2GN

2,5%



| LIGHT FASTNESS | PENETRATION | MIGRATION PVC | EXHAUSTION | SOLUBILITY GR/L 60° C | FASTNESS TO WASHING | FASTNESS TO PERSPIRATION | FASTNESS TO ACID | FASTNESS TO ALKALIS | TROPICAL TEST | METAL COMPLEX |
|----------------|-------------|---------------|------------|-----------------------|---------------------|--------------------------|------------------|---------------------|---------------|---------------|
|----------------|-------------|---------------|------------|-----------------------|---------------------|--------------------------|------------------|---------------------|---------------|---------------|

| | | | | | | | | | | |
|---|---|---|---|----|---|---|---|---|---|----|
| 4 | 3 | 4 | 3 | 35 | 4 | 4 | 4 | 4 | 2 | Fe |
|---|---|---|---|----|---|---|---|---|---|----|

HAVANA 2RL

2,5%



| | | | | | | | | | | |
|---|---|-----|---|-----|---|-----|---|---|-----|----|
| 4 | 4 | 4/5 | 4 | 100 | 3 | 2/3 | 5 | 5 | 4/5 | Cr |
|---|---|-----|---|-----|---|-----|---|---|-----|----|

SOFTER COLOR SRL

Via Golfarelli, 88/D
47122 Forlì - Italia
Tel. +39.0543.724672
Fax +39.0543.724650
info@softercolor.it
www.softercolor.it

DYES for *Leather*

by  **Softer Color**

WET BLUE

HAVANA T

2,5%



| LIGHT FASTNESS | PENETRATION | MIGRATION PVC | EXHAUSTION | SOLUBILITY GR/L 60° C | FASTNESS TO WASHING | FASTNESS TO PERSPIRATION | FASTNESS TO ACID | FASTNESS TO ALKALIS | TROPICAL TEST | METAL COMPLEX |
|----------------|-------------|---------------|------------|-----------------------|---------------------|--------------------------|------------------|---------------------|---------------|---------------|
|----------------|-------------|---------------|------------|-----------------------|---------------------|--------------------------|------------------|---------------------|---------------|---------------|

3/4 3 4 4 15 4 4 4 4 4/5 Cr

HAVANA A

2,5%



| | | | | | | | | | | |
|---|-----|---|---|----|---|-----|-----|---|-----|----|
| 4 | 4/5 | 5 | 5 | 50 | 4 | 3/4 | 3/4 | 3 | 4/5 | Cu |
|---|-----|---|---|----|---|-----|-----|---|-----|----|

SOFTER COLOR SRL

Via Golfarelli, 88/D
47122 Forlì - Italia
Tel. +39.0543.724672
Fax +39.0543.724650
info@softercolor.it
www.softercolor.it

DYES for *Leather*

by  **Softer Color**

WET BLUE

BROWN HG

2,5%



| LIGHT FASTNESS | PENETRATION | MIGRATION PVC | EXHAUSTION | SOLUBILITY GR/L 60° C | FASTNESS TO WASHING | FASTNESS TO PERSPIRATION | FASTNESS TO ACID | FASTNESS TO ALKALIS | TROPICAL TEST | METAL COMPLEX |
|----------------|-------------|---------------|------------|-----------------------|---------------------|--------------------------|------------------|---------------------|---------------|---------------|
| 2 | 3/4 | 4/5 | 4 | 70 | 4 | 5 | 5 | 4 | 5 | Cu |

BROWN G

2,5%



| | | | | | | | | | | |
|---|---|-----|---|-----|---|-----|---|---|-----|----|
| 4 | 4 | 4/5 | 4 | 100 | 3 | 2/3 | 5 | 5 | 4/5 | Cr |
|---|---|-----|---|-----|---|-----|---|---|-----|----|

SOFTER COLOR SRL

Via Golfarelli, 88/D
47122 Forlì - Italia
Tel. +39.0543.724672
Fax +39.0543.724650
info@softercolor.it
www.softercolor.it


DYES for *Leather*

by  **Softer Color**

WET BLUE

BROWN R

2,5%




| LIGHT FASTNESS | PENETRATION | MIGRATION PVC | EXHAUSTION | SOLUBILITY GR/L 60° C | FASTNESS TO WASHING | FASTNESS TO PERSPIRATION | FASTNESS TO ACID | FASTNESS TO ALKALIS | TROPICAL TEST | METAL COMPLEX |
|----------------|-------------|---------------|------------|-----------------------|---------------------|--------------------------|------------------|---------------------|---------------|---------------|
|----------------|-------------|---------------|------------|-----------------------|---------------------|--------------------------|------------------|---------------------|---------------|---------------|

| | | | | | | | | | | |
|-----|---|---|---|----|---|---|---|-----|-----|----|
| 3/4 | 4 | 5 | 4 | 60 | 4 | 4 | 4 | 3/4 | 4/5 | Cr |
|-----|---|---|---|----|---|---|---|-----|-----|----|

BROWN MFR

2,5%



| | | | | | | | | | | |
|---|---|---|-----|----|---|---|-----|-----|---|----|
| 4 | 3 | 3 | 4/5 | 20 | 3 | 3 | 4/5 | 3/4 | 3 | Cu |
|---|---|---|-----|----|---|---|-----|-----|---|----|

SOFTER COLOR SRL

Via Golfarelli, 88/D
47122 Forlì - Italia
Tel. +39.0543.724672
Fax +39.0543.724650
info@softercolor.it
www.softercolor.it


DYES for *Leather*

by  **Softer Color**

WET BLUE

BROWN RL

2,5%




| LIGHT FASTNESS | PENETRATION | MIGRATION PVC | EXHAUSTION | SOLUBILITY GR/L 60° C | FASTNESS TO WASHING | FASTNESS TO PERSPIRATION | FASTNESS TO ACID | FASTNESS TO ALKALIS | TROPICAL TEST | METAL COMPLEX |
|----------------|-------------|---------------|------------|-----------------------|---------------------|--------------------------|------------------|---------------------|---------------|---------------|
|----------------|-------------|---------------|------------|-----------------------|---------------------|--------------------------|------------------|---------------------|---------------|---------------|

| | | | | | | | | | | |
|---|-----|-----|---|----|---|-----|---|---|---|----|
| 4 | 3/4 | 4/5 | 4 | 40 | 5 | 4/5 | 5 | 2 | 5 | Fe |
|---|-----|-----|---|----|---|-----|---|---|---|----|

BROWN NT

2,5%



| | | | | | | | | | | |
|-----|---|-----|---|----|---|-----|---|---|-----|----|
| 3/4 | 3 | 3/4 | 5 | 40 | 3 | 2/3 | 4 | 4 | 3/4 | Fe |
|-----|---|-----|---|----|---|-----|---|---|-----|----|

SOFTER COLOR SRL

Via Golfarelli, 88/D
47122 Forlì - Italia
Tel. +39.0543.724672
Fax +39.0543.724650
info@softercolor.it
www.softercolor.it

DYES for *Leather*



by  **Softer Color**

WET BLUE

| LIGHT FASTNESS | PENETRATION | MIGRATION PVC | EXHAUSTION | SOLUBILITY GR/L 60° C | FASTNESS TO WASHING | FASTNESS TO PERSPIRATION | FASTNESS TO ACID | FASTNESS TO ALKALIS | TROPICAL TEST | METAL COMPLEX |
|-------------------|-------------|---------------|------------|--------------------------|------------------------|-----------------------------|------------------|------------------------|---------------|------------------|
|-------------------|-------------|---------------|------------|--------------------------|------------------------|-----------------------------|------------------|------------------------|---------------|------------------|

DARK BROWN MBL


2,5%



| | | | | | | | | | | |
|---|-----|---|---|----|---|-----|---|---|---|----|
| 4 | 2/3 | 4 | 5 | 20 | 2 | 3/4 | 4 | 4 | 5 | Cr |
|---|-----|---|---|----|---|-----|---|---|---|----|

BROWN SGR

2,5%



| | | | | | | | | | | |
|-----|-----|-----|-----|----|-----|---|-----|---|---|----|
| 3/4 | 2/3 | 3/4 | 4/5 | 50 | 4/5 | 4 | 3/4 | 3 | 1 | Cr |
|-----|-----|-----|-----|----|-----|---|-----|---|---|----|

SOFTER COLOR SRL

Via Golfarelli, 88/D
47122 Forlì - Italia
Tel. +39.0543.724672
Fax +39.0543.724650
info@softercolor.it
www.softercolor.it

DYES for *Leather*

by  **Softer Color**

WET BLUE

| LIGHT FASTNESS | PENETRATION | MIGRATION PVC | EXHAUSTION | SOLUBILITY GR/L 60° C | FASTNESS TO WASHING | FASTNESS TO PERSPIRATION | FASTNESS TO ACID | FASTNESS TO ALKALIS | TROPICAL TEST | METAL COMPLEX |
|-------------------|-------------|---------------|------------|--------------------------|------------------------|-----------------------------|------------------|------------------------|---------------|------------------|
|-------------------|-------------|---------------|------------|--------------------------|------------------------|-----------------------------|------------------|------------------------|---------------|------------------|

DARK BROWN SGR


2,5%



3/4 2/3 3/4 4/5 55 4/5 4 3/4 3 1 Cr

GREY B

2,5%



5 4/5 5 4 100 4 4/5 5 3 3 Cr

SOFTER COLOR SRL

Via Golfarelli, 88/D
47122 Forlì - Italia
Tel. +39.0543.724672
Fax +39.0543.724650
info@softercolor.it
www.softercolor.it


DYES for *Leather*

by  **Softer Color**

WET BLUE

GREY W

2,5%



| LIGHT FASTNESS | PENETRATION | MIGRATION PVC | EXHAUSTION | SOLUBILITY GR/L 60° C | FASTNESS TO WASHING | FASTNESS TO PERSPIRATION | FASTNESS TO ACID | FASTNESS TO ALKALIS | TROPICAL TEST | METAL COMPLEX |
|----------------|-------------|---------------|------------|-----------------------|---------------------|--------------------------|------------------|---------------------|---------------|---------------|
| 5 | 4/5 | 5 | 5 | 100 | 4 | 4/5 | 5 | 3 | 3 | Cr |

BLACK BR

2,5%



| | | | | | | | | | | |
|-----|---|-----|-----|----|---|-----|---|---|---|----|
| 4/5 | 3 | 3/4 | 3/4 | 70 | 3 | 3/4 | 5 | 5 | 4 | Cr |
|-----|---|-----|-----|----|---|-----|---|---|---|----|

SOFTER COLOR SRL

Via Golfarelli, 88/D
47122 Forlì - Italia
Tel. +39.0543.724672
Fax +39.0543.724650
info@softercolor.it
www.softercolor.it

DYES for *Leather*

by  **Softer Color**

WET BLUE

BLACK HBR

2,5%



| LIGHT FASTNESS | PENETRATION | MIGRATION PVC | EXHAUSTION | SOLUBILITY GR/L 60° C | FASTNESS TO WASHING | FASTNESS TO PERSPIRATION | FASTNESS TO ACID | FASTNESS TO ALKALIS | TROPICAL TEST | METAL COMPLEX |
|-------------------|-------------|---------------|------------|--------------------------|------------------------|-----------------------------|------------------|------------------------|---------------|------------------|
| 3 | 3 | 3/4 | 3 | 100 | 3 | 3/4 | 3/4 | 3 | 2/4 | Cr |

SOFTER COLOR SRL

Via Golfarelli, 88/D
47122 Forlì - Italia
Tel. +39.0543.724672
Fax +39.0543.724650
info@softercolor.it
www.softercolor.it